Certificate Number E464291

Report Reference E464291-20140530

Issue Date 2020-MAY-21

Issued to: HANYOUNG NUX CO LTD

28, Gilpa-ro 71beon-gil, Michuhol-gu

Incheon 22121 KOREA

This certificate confirms that representative samples of

POWER CIRCUIT AND MOTOR-MOUNTED APPARATUS

See Addendum Page for Models

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508, Standard for Industrial Control Equipment

CSA C22.2 No. 14-13, Standard for Industrial Control

Equipment

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



E464291 **Certificate Number**

E464291-20140530 **Report Reference**

> 2020-MAY-21 **Issue Date**

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models:

LED Tower Lights, STL Series followed by 040, 060 or 080, followed by A or F, followed by C51 or A11, followed by 1, 2, 3, 4 or 5, followed by D, L or M.

NOMENCLATURE breakdown for TOWER LIGHT DEVICES - Factory assembled:

STL 040 A C51 1 D

I II III IV V VI

I - STL - Series identification for Tower Light

II - Diameter

040 - 40 pi

060 - 60 pi

080 - 80 pi

III - Function

A - Light Only

F - Light, Flashing and Buzzer

IV - Voltage Rating

C51 - 24 Vdc/ac, 50 - 60 Hz

A11 - 100 - 240 Vac, 50 - 60 Hz

V - Number of lights

- 1 Red
- 2 Red and Green
- 3 Red, Yellow and Green
- 4 Red, Yellow, Green and Blue



enholz, Director North American Certification Program

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pontact a local UL Customer Service Representative at http://ul.com/aboutul/locations/.



Certificate Number

Report Reference E464291-20140530

E464291

Issue Date 2020-MAY-21

- 5 Red, Yellow, Green, Blue and White
- VI Mounting
- D No Mounting Base
- L L shaped Mounting
- M Plastic Mounting Base

USL, CNL - LED Tower Lights, STS Series followed by 040, 060 or 080, followed by C41 or C51, followed by 1, 2, 3, 4 or 5, followed by M, P or L, followed by R, Y, G, B or W in order.

NOMENCLATURE breakdown for TOWER LIGHT DEVICES - Factory assembled:

STS 040 C51 1 M RYB

- I II III IV V VI
- I STS Series identification for Tower Light
- II Diameter
- 040 40 pi
- 060 60 pi
- 080 80 pi
- III Voltage Rating
- C51 24 Vdc/ac, 50 60 Hz
- C41 12 Vdc/ac, 50 60 Hz
- IV Number of lights
 - 1 Red
 - 2 Red and Green
 - 3 Red, Yellow and Green
 - 4 Red, Yellow, Green and Blue



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

(UL)

Certificate Number

E464291

Report Reference Issue Date E464291-20140530

2020-MAY-21

5 - Red, Yellow, Green, Blue and White

V - Mounting

M - Mounting Bracket

P - Pipe Bracket

L - L Type Bracket

RYB - R, Y, G, B, W colors in order



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

